Stay Safe & Warm this Winter!



PORTABLE CERAMIC HEATER

- 120 V, 2600/5200 BTU/h
- Two heat settings (1500 W and 750 W) provide full comfort and efficient operation
- Adjustable thermostat
- Convenient carry handle
- Stable metal base with tilt angle
- Tip-over and overheat protection
- Power Source: Electric
- Power Cord Length: 6'



Model No. EA785

PORTABLE FAN-FORCED UTILITY HEATER

- 120 V, 10.8/12.5 A, 4435/5120 BTU/h
- Two heat settings (1300 W and 1500 W)
- Adjustable thermostat
- Fan-only setting
- Tip over safety switch
- Built-in carrying handle with front safety guards
- 10" W x 6" D x 16" H



Model No. EA598







MATRIX

PORTABLE CERAMIC HEATER

120 V, 2560/5200 BTU/h
Two heat settings (1500 W and 900 W) provide full comfort and efficient operation
Adjustable thermostat
Big carry handle



Model No. EA650

PORTABLE CERAMIC HEATER

120 V, 6.25/12.5 A, 2560/5200 BTU/h
Two heat settings (1500 W and 750 W) provide full comfort and efficient operation

- Adjustable thermostat
 - PTC heating element
 - Tip over safety switch and thermal safety fuse
 - Power Source: Electric





Model No. EA599

PORTABLE FAN-FORCED/RADIANT UTILITY HEATER



Model No. EA466

PORTABLE OPEN COIL HEATER

- 120 V, 8.3/12.5 A, 3410/5120 BTU/h
- + Two heat settings (1500 W and 1000 W)
- Provides full comfort and efficient operation
- Fully adjustable automatic thermostat
- Safety overload switch
- Power signal light
- Grounded plug and controls
- 5" W x 7-1/4" D x 6-3/4" H



Model No. EA469



ATRIX

HEAVY-DUTY CEILING MOUNT HEATERS

- 240 V
- · Built-in ceiling bracket for easy mounting
- Automatic fan delay

MATRIX

Model

EA652

No. EA532

• Rugged heavy-duty industrial heater

Motor

Open

Enclosed

PORTABLE UNDER DESK

RADIANT HEATER

PROMO PRICE

• 120 V, 580 BTU/h • Thin and lightweight Includes fold-out metal floor stand • Power Source: Electric

MATRIX

Model No. EA651

• Ideal for use in storage rooms, workshops, garages, warehousing



PROMO

PRICE

199.00

299.00



OIL-FILLED HEATER

• 120 V, 12.5 A, 1500 W, 5120 BTU/h • 7-fin, oil-filled heater

- Three heat settings provide full comfort and efficient operation • Adjustable thermostat
- Built-in over heating protection



Model No. EA612

		A477	 Built-in hance Built Permanently lut Safety high ter Steel spiration metal sheat maximu 	• 240 V eavy-duty cord lle/cord storage t-in thermostat ibricated motor
			EDIUU	
Model		BTU/h		PROMO
Model No.	Watts	BTU/h Rating	Amps	PROMO PRICE
	Watts 5600			

XC503

Watts

1875

1875

1875

1875

1875

1875

ALL-WEATHER TPE-RUBBER EXTENSION CORDS

Rating (BTU/h)

Max.

17060

25600

Min.

8530

8530

- 3-conductor SJEOW, 300 V grounding
- Jacket provides ultra flexibility and superior performance in extreme
- climate conditions at temperatures from -50°C to 105°C
- · Water resistant and flame retardant
- Lighted connectors allow you to see when the power is in use

			201-1
<i>auroratools</i> :	(h)	cUL)	V

Model					PROMO	Model			
No.	Length'	AWG	Amps	Watts	PRICE	No.	Length'	AWG	Amps
HEAVY	-DUTY, S	INGLE T	AP			EXTRA	HEAVY-I	DUTY, SI	NGLE TAP
XC500	25	14/3	15	1875	21.49	XC503	25	12/3	15
XC501	50	14/3	15	1875	39.71	XC504	50	12/3	15
XC502	100	14/3	15	1625	74.96	XC505	100	12/3	15
HEAV	·DUTY, T	RIPLE T	AP			EXTRA	HEAVY-I	DUTY, T	RIPLE TAP
XH235	25	14	15	1875	25.65	XH238	25	12	15
XH236	50	14	15	1875	43.46	XH239	50	12	15
XH237	100	14	13	1625	74.96	XH240	100	12	15



3





	C / 11 / 13		•						
NM947	48	х	24	х	24	Yellow	229.00		
NM948	48	x	24	x	24	Grey	229.00		
PE095	95 Yellow 1-Gallon Polyethylene Scoop								
PE096	, , , ,						18.95		



BROADCAST SPREADER • Steel tube frame construction with chrome-plated hardware · Heavy-duty nylon gear box Comes w/rain increases product life span cover & screen • Setting control on handle for precise adjustments • 12" x 4" pneumatic tires • Coverage: 16000 sq.ft. · Capacity: 100 lbs. aurora PROMO PRICE auroratools Model No. NJ142

NATURAL CHOICE™ ICE MELTER

- All-natural ice melter with an organic additive that improves its performance
- This additive also acts as a corrosion inhibitor to reduce metal fatigue
- Eco-friendly ice melter
- Container Size: 44 lbs. (20 kg)
- Melting Point: -24°C (-11°F)





ICE CHOCK

- "Tooth" like bottom assures reliable grip
- Lightweight and dependable
- Maximum holding power for snow and ice
- Powder-coated safety yellow finish for high visibility
- Max. Tire Diameter: 20"
- 8" W x 10-1/2" D x 9-1/4" H
- Weight: 9 lbs.
- Formed steel



Model No. KH964





FIRESTORM[™] INTENSE ICE MELTER

- Prevents refreezing even under the most challenging conditions
 Safe for children and pets, will not burn skin and gentle on vegetation
- Distinctive orange colour is easy to see, allowing you to use less while ensuring safety for pedestrians
 - Container Size: 44 lbs. (20 kg)
 Melting Point: -32°C (-25°F)



SCRAPER MATS

Scrape shoes and boots clean to avoid tracking dirt, slush, and snow
Beveled edging to help prevent tripping

Thickness: 1/2"
Surface Pattern: Textured
Traffic: Heavy
Black

Model	Dim	Dimensions		PROMO
No.	W'	х	Ľ	PRICE
SFQ527	2	х	2-2/3	44.95
SFQ528	2-2/3	х	3-1/4	63.95
SFQ529	2-1/3	х	3-5/6	69.96
SFQ530	3	х	5	99.00
SFQ531	3	х	6	126.00



BOOT SCRAPER

- Scrape shoes and boots clean to avoid tracking dirt, slush, and snow
- Rubber fingers brush the sides and bottom of boots
- Portable or can be made fixed (mounting hardware not included)
- Easy to clean
- Overall Length: 12"



RUNNER MATS

Durable rubber mat resists harsh weather conditions
Easy to clean
Adds traction to any entrance
Thickness: 1/8"
Traffic: Light-Medium
Black

PROMO PRICE

ZENTH

Model	Dimensions			PROMO
No.	W'	x	Ľ	PRICE
FINE RIBBED				
SDL875	2	x	75	191.00
SDL876	3	x	75	284.00
SDL877	4	x	75	439.00
SDL878	2	х	lin.ft.	3.49/lin.ft.
SDL879	3	х	lin.ft	5.21/lin.ft.
SDL880	4	х	lin.ft	6.98/lin.ft.
WIDE RIBBED				
SGG088	3	х	75	329.00
SGG089	3	x	lin.ft	5.25/lin.ft.

BOOT TRAY

- Keeps dirt and moisture off floors
- Durable plastic construction with a raised edge to corral melting snow, mud or salt
- Length: 25"
- Width: 14"
- Thickness: 3/5"
- Black

Model No. SGH285

BOOT & SHOE CLEANER


- Constructed of stiff polypropylene bristles
- Designed to effectively scrape off dirt & debris from footwear
- Option to anchor to the floor ensures a secure brush
- Ideal for high traffic areas such as schoolyards, construction sites and industrial areas
- Overall Length: 15"
- Yellow



Model No. JK632



		IOW SH Powder-coated pnomic poly D	steel handle
	NM809		
		aurora	a tools"
Model	0.A.	Steel	PROMO



SCOOP SHOVEL

- Perfect for moving and scooping lightweight granulated materials
- Lightweight construction for comfort and productivity
- Harwood handle with aluminum blade resistant to rust
- Blade Size: 14" x 18"
- Blade Material: Aluminum
- Handle Material: Wood
- Handle Type: D-Grip
- Handle Length: 24-1/2"





SQUARE POINT SCOOP SHOVEL

- Blade Size: 14" x 18"
- Blade Material: Aluminum
- Handle Material: Wood
- Handle Type: Straight
- Handle Length: 45-3/4"
- Overall Length: 63-1/2"



TYX063

Model No.

HOTSPOTTER ALL-PURPOSE PROPANE TORCH KIT

 Works off the pressure of a propane tank, no regulator required
 Heavy-duty kit with durable cast iron and steel nozzle
 500 000 BTU rating

 Ideal for a wide variety of all-season maintenance/repair applications
 Includes: 10' neoprene hose, striker and on/off valve



WESTERN

Model No. 312-4904 MFG No. WB-101

Model No. NM985

auroratools

SNOW ROOF RAKE

- Ideal for removing any kind of debris from roofs
- Prevents roof damage by removing ice dams & heavy snow
- Lightweight handle extends to 16'
- Blade Material: Polypropylene
- Blade Width: 24-3/4"
- Blade Height: 6"
- Handle Length: 61"
- Handle Material: Aluminum
- Handle Type: Straight







PRICE

36.99

39.99

PRICE

22.50

33.50

PRICE

19.99

38.99

47.99

7

TELESCOPIC SNOW BRUSH

- Aluminum handle with comfortable EVA foam grip
- Overall Length: 36"
- Telescopic or Non Telescopic: Telescopic
- Colour: Blue
- Blade Type: Polypropylene
- Head Width: 9-3/4"
- Scraper Width: 5"





PROMO PRICE

Model No. NM980

LONG REACH SNOW BRUSH

- Aluminum handle with comfortable EVA foam grip
- Overall Length: 34"
- Telescopic or Non Telescopic: Non Telescopic
- Colour: Blue
- Blade Type: Polypropylene
- Head Width: 8-3/4"
- Scraper Width: 5"



Model No. NM979

BOOSTER CABLES

- Cable remains flexible in temperatures as low as -40°C
- Clamp design fits on both top-post and side-post batteries
- Surge suppressor on 2, 4, and 6 gauge cables protect a vehicles computer system from power surges during boosting
- Tangle-free





Model	Wire	Wire			PROMO
No.	Gauge	Length'	Amperage	Colour	PRICE
XE494	8	10	150	Yellow	14.95
XE495	6	16	400	Red/Black	31.50
XE496	4	20	400	Red/Black	35.75
XE497	2	20	400	Red/Black	71.25

SCRATCH-FREE SNOW BRUSHES

- Lightweight aluminum handle for a more durable and comfortable grip
- Sturdy scraper made of polycarbonate is perfect for getting through thick ice
- Innovative blade design makes cleaning side mirrors and wiper wells easier
- Colour: Red
- Blade Type: EVA Foam



ZENTH

NI399

Model No.	Description	Head Width"	O.A. Length"	PROMO PRICE
NJ399	Non Telescopic	4-3/4	36	25.99
NM807	Telescopic	13-3/4	52	27.99

TRIANGULAR REFLECTOR KIT

- · Ideal for increasing visibility around disabled vehicles
- · Fast and easy to set up and stow away
- Weighted base provides additional stability
- Instructions for proper use are printed on the case and on each triangle
- Kit includes 3 triangles and a red carry case
- Meets DOT FMVSS 125 standards



- **TRAFFIC VESTS**
- High-visibility lightweight polyester mesh provides daytime visibility
- 2" yellow reflective stripes
- Bright reflective stripes provide 360° nighttime visibility
- 5-point tear-away feature on shoulders, sides and front for easy quick release
- Colour: High Visibility Orange

Model Size No. **SEF093** Medium **SEF094** Large **SEF095** X-Large **SEF096** 2X-Large



ZENTH



MAGIC OIL[™] LOCK LUBE & DE-ICER

- Graphite formula lubricates seized and frozen locks for long-lasting, smooth operation
- Nozzle allows for easy application directly in keyhole
- Format: 42.5 g
- Container Type: Aerosol Can

PROMO PRICE

Model No. AF440 MFG No. 74119

ICE-OFF[™] WINDSHIELD SPRAY DE-ICER

• Ideal for melting ice, snow and frost on contact

- Does not harm car finish
- Thaws frozen locks
- Container size: 16 oz.

- Net container size: 340 g
- Container type: Aerosol Can



WEATHER TOUGH® PADLOCKS

- 5-spool pin tumbler cylinder for added pick resistance • Body and cylinder covers on Weather Tough^{*} padlocks protect locks from water, dirt and grime
 - Security Level: High
 - Shackle Clearance Height: 3/4"
 - Shackle Clearance Width: 7/8"
 - Body Material: Laminated Steel • Key Type: Keyed Different
 - Colour: Black

	SA904		M	aster Lock
Model No.	MFG No.	Shackle Dia."	Body Width	PROMO PRICE
SA904	6325	3/8	2-3/8	49.50
SEJ517	6321	5/16	2-1/8	39.90

JUMP START® STARTING FLUID

- Assures fast and economical starts in cold or humid conditions
- For use in both gasoline and diesel engines
- Format: 312 g
- Container Type: Aerosol Can



PRO SERIES® WEATHER TOUGH® PADLOCKS

- · Laminated steel body with hardened boron alloy shackle for superior protection
- 5-pin cylinder with spool pins for added pick resistance
- Body and cylinder covers protect lock from water, dirt and grime
- Keyed different

Mas				 ≁──Wi	dth —+		SAL433	
Model	MFG	B	loc	ły	Shack	de Clea	arance	PROMO
No.	No.	W"	x	Τ"	Α"	В"	С"	PRICE
SAL433	6121	2-1/8	х	1	5/16	1-1/8	7/8	28.80
SAL434	6121LJ	2-1/8	х	1	5/16	2-1/2	7/8	31.20
SA902	6125	2-3/8	х	1-3/16	3/8	1-3/8	7/8	33.10

A AC

Ē

Master

OUTDOOR PROTECTION PADLOCKS

- 1-9/16" laminated steel body construction for superior strength
- High-tech thermoplastic shell designed to protect and withstand the elements
- Hardened steel shackle
- Locks come with two keys
- Key type: different
- Colour: Blue



Master,

Model	MFG	Shackle	learance	PROMO	
No.	No.	Diameter"	Height"	Width"	PRICE
SN706	312	3/8	1	1/2	14.50
SEJ518	312D	9/32	1-1/16	5/8	14.50

INSULATED TARPAULIN

- Lightweight and flexible, moisture resistant insulated tarpaulin
- Manufactured with 3/16" closed cell polyethylene foam insulation
- R-value is maintained in damp cold conditions
- Durable, water resistant polyethylene shell
- Heavy-duty rust resistant grommets every 2'
- Length: 20'
- Width: 12'
- Thickness: 8 mils
- Colour: Orange

Model No.

PROMO PRICE



JD420

POLYETHYLENE TARPAULINS

- 14 x 14 weave density
- 200 micrometers (8 mil) thick
- Colour: Black
- Light Industrial Duty





Model	Din	PROMO		
No.	Ľ	x	W'	PRICE
JI327	8	х	6	6.10
JI328	10	x	8	10.15
JI329	20	х	10	25.35
JI330	16	х	12	24.30
JI331	20	x	16	40.55
JI332	24	х	18	54.75
JI333	30	x	20	76.00
JI334	30	х	24	91.25
JI335	40	x	30	152.00
JI336	50	x	30	190.00
JI337	50	x	40	255.00
JI338	60	x	40	305.00

* Finished sizes may vary due to hem allowance

ADVANCED HAND SANITIZER

- Purell[®] in a 70% ethyl alcohol, fragrance & dye free formulation
- · Effective in destroying certain bacteria
- Contains vitamin E and glycerine
- Unscented



					CADOF (
Model No.	Description	Dispenser	PROMO PRICE		SAR854	
JA912	59 ml Squeeze Bottle	-	2.52			
JA722	118 ml Bottle	-	2.95	ADVANEED ADVANEED AVANEE AVANEE		
JA358	237 ml Pump Bottle	-	5.75	12 Control 10 Control	And	
SAR856	354 ml Pump Bottle	-	7.95	TANKS PARTY		
SAR854	1000 ml Refill	JA355	14.60			
SAR855	1200 ml Refill	SAQ139	25.95	JA912		

POLYETHYLENE TARPAULINS

• 10 x 10 weave density • 150 micrometers (6 mil) thick Colour: Camouflage Heavy Duty

Model	Din	nens	PROMO	
No.	Ľ	x	W'	PRICE
JI319	8	х	6	6.29
JI320	10	x	8	10.50
JI321	20	x	10	26.15
JI322	16	x	12	25.25
JI323	20	x	16	41.95
JI324	24	x	18	52.35
JI325	30	x	20	75.95
JI326	40	x	30	156.00

* Finished sizes may vary due to hem allowance

POLYETHYLENE TARPAULINS

- 8 x 8 weave density
- Thickness: 100 micrometers (4 mil)
- Colour: Blue Standard Duty

SAR855

KLETON				
Model	Din	nens	PROMO	
No.	Ľ	х	W'	PRICE
NI771	12	x	10	8.66
NI772	20	x	10	14.30
NI773	16	x	12	13.80
NI774	20	x	16	22.90
NI775	24	x	18	33.50
NI776	30	x	20	46.30
NI777	30	x	24	51.70
NI778	40	x	30	87.00

JA358

* Finished sizes may vary due to hem allowance

Pricing in effect until March 27, 2020 or while quantities last. Taxes & freight extra. Due to current market fluctuations, prices may vary without prior notice.

IA722